




*** NOTE:**

- 2 SEPARATE SAW CUTS:
- 1 CUT BEFORE CONSTRICTION
- 1 CUT BEFORE FINAL PAVING

-  1.5" (MIN) ID-2 WEARING COURSE
-  2" (MIN) ID-2 BINDER COURSE
-  5" (MIN) BCBC BASE COURSE

NOTE:

- 1. DURING COLD WEATHER MONTHS PROVIDE AND MAINTAIN A TEMPORARY BITUMINOUS COLD PATCH SURFACE UNTIL WEATHER PERMITS HOT ASPHALT PAVING
- 2. THE TOWNSHIP MUST BE NOTIFIED 24 HOURS IN ADVANCE OF ROAD OPENING AND SURFACING

BCBC BASE COURSE SHALL BE AS THICK AS EXISTING OR 5" MINIMUM, (AFTER COMPACTION) WHICH EVER IS GREATER

BINDER COURSE SHALL BE AS THICK AS EXISTING OR 2" MINIMUM, (AFTER COMPACTION) WHICH EVER IS GREATER

WEARING COURSE SHALL BE AS THICK AS EXISTING OR 1.5" MINIMUM, (AFTER COMPACTION) WHICH EVER IS GREATER

Center Township Standard Detail

ASPHALT PAVEMENT REPLACEMENT

SD16