



NO.	TYPE	COURSES	AADT (ANNUAL AVG. DAILY TRAFFIC)			
			1-600	601-1300	1301-2400	2401-4500
* ①	SURFACE	ID-2 BITUMINOUS WEARING COURSE	1"	1"	1"	1"
②	SURFACE	ID-2 BITUMINOUS WEARING COURSE	1"	1"	1"	1"
③	BASE	BITUMINOUS CONCRETE BASE COURSE	3"	5"	6"	6"
④	SUBBASE	SUBBASE	8"	6"	6"	6"

* APPLIED 2 YEARS AFTER INITIAL PAVING

NOTE:

MATERIALS AND CONSTRUCTION IN ACCORDANCE WITH PA. D.O.T. FORM 408 (LATEST REVISION)

IF NECESSARY ALL UNEVEN AREAS, SETTLED AREAS, AREAS DAMAGED BY UTILITY COMPANIES AND OTHER BROKEN OR UNEVEN AREAS SHALL BE REPAIRED THEN LEVELED WITH ID-2 BITUMINOUS PRIOR TO PAVING.

PAVEMENT WIDTH IN ACCORDANCE WITH THE SUBDIVISION AND LAND DEVELOPMENT ORDINANCE.

DETAIL AND TABLE DOES NOT APPLY TO PRIVATE STREETS.

GUTTER CROSS SECTION AND SURFACE COMPOSITION TO BE APPROVED BY TOWNSHIP ENGINEER.

SURFACE COMPOSITION OF GUTTERS TO BE SELECTED BASED UPON VELOCITY AS PER THE SUBDIVISION AND LAND DEVELOPMENT ORDINANCE.

SHOULDERS TO BE STONE, EARTHEN OR PA. D.O.T. TYPE 3 IN ACCORDANCE WITH THE SUBDIVISION AND LAND DEVELOPMENT ORDINANCES AND APPROVED BY THE TOWNSHIP ENGINEER.

STONE SHOULDERS TO BE 6" SUBBASE MATERIAL (MINIMUM) AND PA. D.O.T. TYPE 3 SHOULDER TO BE 6" SUBBASE MATERIAL (MINIMUM) WITH BITUMINOUS SURFACE TREATMENT.

Center Township Standard Detail

ROAD SECTION WITHOUT CURBING

SD3